This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Earl C. Johns Sheet 1 of 7 10/702,348 S01.12-0978 TRANSDUCER FOR FERROELECTRIC STORAGE MEDIUM









Earl C. Johns Sheet 2 of 7 10/702,348: S01.12-0978 TRANSDUCER FOR FERROELECTRIC STORAGE MEDIUM







Fig. 5




Earl C. Johns Sheet 4 of 7 10/702,348 S01.12-0978 TRANSDUCER FOR FERROELECTRIC STORAGE MEDIUM





Earl C. Johns Sheet 5 of 7 10/702,348 S01.12-0978 TRANSDUCER FOR FERROELECTRIC STORAGE MEDIUM



REPLACEMENT SHEET

Earl C. Johns Sheet 6 of 7 10/702,348 Sol.12-0978 TRANSDUCER FOR FERROELECTRIC STORAGE MEDIUM

6/7




FIG. 11A

202

-107

FIG. 11B

10

200 204




FIG. 12